# CORE®

CONTROL SYSTEMS

Your Fleet's Most Powerful Ally

WHELEN®

MANUFACTURED IN AMERICA

CORE®
POWERED
BY
WECANX®

Whelen's powerful Core control systems enhance first responder safety like no other by providing the greatest configurability, speed, and expansion capabilities available on the market. Built to scale with your needs, our Core® systems are highly configurable and offer advanced automation, remote connectivity, and true system synchronization through the industry's smartest and most powerful CAN-based communication system, WeCanX®. This proprietary technology combines unrivaled sophistication with lightning-fast speed, expanded peripheral add-ons, and full diagnostic support.

CENCOM
CORE®   CORE-S®   CORE-R®   CORE-C®

For more information or to schedule a quick call with a Whelen sales representative, scan here or visit www.whelen.com/core.

WHELEN MANUFACTURED IN AMERICA   **Core® Powered By WeCanX®** WHELEN ENGINEERING COMPANY, INC.

⚠ **WARNING:** These products may contain chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit whelen.com/regulatory.

DESIGNED TO FIT YOUR NEEDS

Every aspect of Core® is engineered for performance and designed for vast configuration, allowing for access to every connector and fuse from the top of the box. Core is built to scale with your needs.

Core® Powered By WeCanX®
WHELEN ENGINEERING COMPANY, INC.

WHELEN
MANUFACTURED IN AMERICA

W E C A N X ®

WeCanX® is the smartest and most powerful CAN-based communication system we've ever engineered. Providing true system synchronization, greater speed capabilities, expanded peripheral add-ons, and full support of diagnostics, WeCanX is designed for optimal situational awareness programming.

The system supports any combination of up to 99 WeCanX devices, including support for multiple Whelen peripherals of the same type on the same vehicle.

DVI™

Dynamic Variable Intensity™ flash patterns are designed to create a calm warning environment and bring an advanced level of safety to nighttime emergency scenes. DVI™ patterns gradually increase and decrease warning light intensity, which better conveys visual information to approaching motorists at night.

WHELEN COMMAND®

At the heart of Core® is Whelen Command, our cutting-edge software designed to streamline the entire programming process. With an advanced user interface, Command provides quick, seamless updates and new releases while efficiently processing hundreds of virtual inputs.

Command features Situation-Based Integration and Events. With Situation-Based Integration, scene-specific functions can be created and automated by utilizing various vehicle components and signals, like automatically turning off a siren when a vehicle arrives on scene. With Events, multiple user-defined rules can be created for specific situations depending on the state of your vehicle, like automatically switching to DVI light patterns when the vehicle is in park.

WHELEN® command®

⚠ **WARNING:** These products may contain chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit whelen.com/regulatory.

VEHICLE-TO-VEHICLE SYNC

A calm scene is a safe scene with Vehicle-to-Vehicle (V2V) Sync. Automatically synchronize lights and tones on vehicles within any proximity to aid approaching motorists.

DIGITAL VOICE MESSAGES

Configure consistent messaging across a fleet with Digital Voice Messages. Messages can be customized for weather alerts, evacuation orders, traffic reports, bilingual messaging, and more. Messages are added through the *Manage Digital Voice Messages* window in the Whelen Command® software and can be applied to any input.

Scan to find and download standard messages including fire warnings, no parking orders, active shooter warnings, and more.

WHELEN CLOUD PLATFORM®

THE NEW STANDARD IN EMERGENCY SCENE SAFETY

The Whelen Cloud Platform (WCP®) is a state-of-the-art, cloud-based vehicle communication system enhancing first responder safety and efficiency.

With seamless connectivity between fleet vehicles and across agencies via cellular networks, our platform offers real-time digital alerts, geofence-controlled technology, and traffic preemption to ensure faster, safer responses.

Effortlessly manage vehicle configurations and firmware updates over-the-air, and accurately pinpoint vehicle locations for coordinated operations. All data is securely accessible anytime, anywhere, allowing for optimal fleet organization and enhanced safety at roadside scenes.

Core® Powered By WeCanX®
WHELEN ENGINEERING COMPANY, INC.

CENCOM
CORE®

CORE-S®

Created to enhance first responder safety, CenCom Core® redefined control systems by providing the greatest configurability, speed, and expansion yet. Built to scale with your needs, Core® is highly configurable and offers advanced automation, remote connectivity, and true system synchronization.

- Powered by WeCanX®
- Supports any combination of up to 99 WeCanX devices
- Seamlessly integrates with Whelen Command® software
- Remote firmware updates through USB-C with Whelen Command or over-the-air with Whelen Cloud Platform®
- Vehicle-to-Vehicle Sync
- Dynamic Variable Intensity™ light patterns
- 17 total inputs
- 22 total outputs
- Supports Steady-Lock®
- 10-year warranty

The newest addition to Whelen's industry-leading Core family of control systems, Core-S® is a true one-box solution. Its space-saving design allows for installation in tight spaces like in a console or under a dash, and installation has never been easier with connector placement specifically designed for hard-to-reach areas. Core-S features a siren, input/output, and control functionality in one compact box along with an integrated control head.

- Powered by WeCanX
- Supports any combination of up to 99 WeCanX devices
- Seamlessly integrates with Whelen Command software
- Remote firmware updates through USB-C with Whelen Command or over-the-air with Whelen Cloud Platform
- Vehicle-to-Vehicle Sync
- Dynamic Variable Intensity light patterns
- 11 total inputs
- 16 total outputs
- Supports Steady-Lock
- 10-year warranty

WHELEN
MANUFACTURED IN AMERICA

Core® Powered By WeCanX®
WHELEN ENGINEERING COMPANY, INC.

⚠ **WARNING:** These products may contain chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit whelen.com/regulatory.

CORE-R.

Core-R® is a vehicle control system engineered to enhance operator and motorist safety with complete configurability, advanced automation, and remote connectivity.

- Powered by WeCanX®
- Supports any combination of up to 99 WeCanX devices
- Seamlessly integrates with Whelen Command® software
- Remote firmware updates through USB-C with Whelen Command or over-the-air with Whelen Cloud Platform®
- Vehicle-to-Vehicle Sync
- Dynamic Variable Intensity™ light patterns
- 8 total inputs
- Does not have its own outputs, supports Steady-Lock® through Remote Expansion Module
- 10-year warranty

CORE-C.

Core-C® is the heart of a sophisticated warning light system for a wide range of vehicles. Whether you're upfitting a work truck, a volunteer responder vehicle, or a smaller specialty unit, Core-C delivers powerful WeCanX safety features in a compact, easy-to-install design. Combining the intelligence of a WeCanX controller with the functionality of a control head, Core-C offers smart performance in one streamlined solution.

- Powered by WeCanX
- Supports up to 10 WeCanX devices (device types may vary)
- Seamlessly integrates with Whelen Command software
- Remote firmware updates through USB-C with Whelen Command
- Vehicle-to-Vehicle Sync
- 1 input, 1 output
- Supports Steady-Lock through Remote Expansion Module
- 10-year warranty

CORE-R. DOT

- All the benefits and features of Core-R are housed in a durable junction box to protect control system components and wiring from harsh environments and weather typically experienced by DOT vehicles.
- Its modular design makes installation on a municipal vehicle quick and easy with parts designed to be installed in various locations throughout a vehicle.
- Optional modules are available to further enhance flexibility and safety features like DVI™ and V2V Sync.

WeCanX® DEVICES

You can customize Core® in ways that were never before possible in a control system. Built on Whelen's innovative WeCanX® network, Core provides unmatched flexibility to design lighting and siren functions around the unique demands of your fleet. Core is compatible with an extensive array of WeCanX devices, allowing you to automate complex tasks, streamline workflows, and create smart vehicle behaviors that respond instantly to your environment—ensuring your lights and sirens work seamlessly, without second-guessing. From vehicle startup to scene arrival, Core prioritizes safety by helping you stay focused, alert, and in control.

LIGHTBARS

Legacy®, Liberty™ II, Freedom® IV, Edge® 9X, and Justice® DUO™ lightbars support WeCanX with expanded control of individual lightheads in DUO and TRIO™ models and in lengths over 60".

INNER EDGE FST, RST, & XLP

Inner Edge® FST™, RST™, and XLP models support WeCanX with expanded control of individual lightheads in DUO and TRIO models.

WECANX JUNCTION BOX

- Simplified installations
- Enhanced flexibility
- Improved efficiency
- 12 WeCanX data connection points

TRAFFIC ADVISOR™ MODULE

- Ground switched for Whelen capability
- 9 conductors
- Uses the current 12-position commercial Mate-N-Lok™ connector

VEHICLE-TO-VEHICLE (V2V) SYNC MODULE

- Synchronize lights and tones on an unlimited number of vehicles within any proximity.
- 10-30 VDC power supply
- Includes diagnostic indicator

REMOTE 8-, 16-, OR 24-OUTPUT EXPANSION MODULE

- 4 programmable logic inputs (CEM8, CEM16, CEM16D only)
- Cruise mode

CONTROL POINT

- Diagnostic output
- Can be selected in WeCad™ as an option

⚠️ **WARNING:** These products may contain chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit whelen.com/regulatory.

HIGH CURRENT REMOTE EXPANSION MODULE

- Integrate scene lights into WeCanX® system control. Outputs can flash, dim, or gradually increase or decrease the light intensity of scene lights, further calming a scene.
- Operates high current lightheads such as scene lights (e.g., eight 75-watt, four 150-watt Pioneer™ lightheads, etc.)
- 4 outputs at 15-Amps each

EXTERNAL AMPLIFIER

- Can be operated independently of other sirens
- Tones can be synchronous or asynchronous depending on the Control System used
- Public address
- Digital Voice Messages
- Variable intensity tones

EXTERNAL HOWLER™ SIREN

- Can be operated independently of other sirens
- Howler now plays its own tone rather than sensing and following an existing tone
- Tones can be synchronous or asynchronous depending on the control system used
- Low-intensity mode

Core® Powered By WeCanX®
WHELEN ENGINEERING COMPANY, INC.

WHELEN
MANUFACTURED IN AMERICA

FIRMWARE UPDATES

Core® supports remote firmware updates through USB-C with Whelen Command® or over-the-air with the Whelen Cloud Platform®. All WeCanX® devices support encrypted firmware updates.

HIGH-SPEED CONNECTIONS

Core® has extremely high-performance I/O. It features one ethernet connection, one WeCanX connection, two CANport™ OBD2 interfaces, one USB-A port, and one USB-C port. With a variety of interfaces, Core is ready for a variety of configurations.

Core® Powered By WeCanX®
WHELEN ENGINEERING COMPANY, INC.

⚠️ **WARNING:** These products may contain chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit whelen.com/regulatory.

**COMPATIBLE WITH
ANY VEHICLE,
ANY LIGHTING SYSTEM,
ANY FLEET.**

Whelen Cloud Platform® connects with any device or system to form a larger safety solution. Built to adapt to your unique needs, WCP® seamlessly integrates your fleet's technology into a powerful network that prioritizes safety and efficiency. No matter the setup, WCP keeps your fleet ready for any challenge, focused on the goal that matters most: protecting the people you serve.

Law Enforcement

Fire Apparatus

Commercial / DOT / Utility Trucks

EMS

BUILDING A STRONGER PLATFORM THROUGH PARTNERSHIPS

Our commitment to protect first responders drives us to partner with other industry leaders who also prioritize safety, reliability, and innovation. By collaborating with top companies across various fields, we're able to expand the capabilities of the Whelen Cloud Platform, integrating advanced tools and technologies that meet the evolving needs of first responders. Each partnership strengthens our platform, ensuring we can offer the most comprehensive, effective solutions to keep teams connected and communities protected.

APPLIED INFORMATION®

ECONOLITE part of Umovity

LYT.

miovision
opticom

FASTER

Fleetio

GEOTAB.

ThruGreen

SAFETY CLOUD®
POWERED BY HAAS ALERT

For more information or to schedule a quick call or demo with a Whelen sales representative, visit whelen.com/cloud or scan the QR code.

Core® Powered By WeCanX®
WHELEN ENGINEERING COMPANY, INC.

WHELEN
MANUFACTURED IN AMERICA

WECANX® CONTROL SYSTEMS

C399	Core® 200-Watt Amplifier Control Module, Flashing Outputs, Includes 3 CANport™ Signals, and Controls up to 99 Devices/Remote Modules, Control Heads Purchased Separately
C399R	Core-R® Control Module, Includes 8 Digital Inputs, 3 CANport Signals and Controls up to 99 Device/Remote Modules, Control Head and Other Optional Modules Purchased Separately, 10-30 VDC
C399RD1	Control Module, Includes 8 Digital Inputs, 1 WeCanX® Port and Controls up to 99 Device/Remote Modules, and One CEM16 Module Mounted in a Single Box, Control Head and Other Optional Modules Purchased Separately, 12 VDC
C399RD2	Control Module, Includes 8 Digital Inputs, 1 WeCanX Port and Controls up to 99 Device/Remote Modules, and Two CEM16 Modules Mounted in a Single Box, Control Head and Other Optional Modules Purchased Separately, 12 VDC
C399S	Core-S® 200-Watt Amplifier Control Module, Flashing Outputs, Includes 3 CANport Signals and Controls Up to 99 Devices/Remote Modules, Control Head and Other Modules Purchased Separately, 12 VDC
C399SH	Core-S 100-Watt Amplifier Control Module with 100-Watt Howler™, Flashing Outputs, Includes 3 CANport Signals and Controls Up to 99 Devices/Remote Modules, Control Head and Other Modules Purchased Separately, **Single Howler Mounting Bracket (HSB#) Purchased Separately**, 12 VDC
C399S6	Core-S Single Unit 200-Watt Siren with Integrated 3-Section Control Head and 8 Push-Buttons, 4-Position Slide Switch with a 7-Position Rotary Knob, Manual, Airhorn, Plus 3 Traffic Advisor™ Switches and Microphone with Extension Cable
C399S6H	Core-S Single Unit 100-Watt Siren and 100-Watt Howler with Integrated 3-Section Control Head and 8 Push-Buttons, 4-Position Slide Switch with a 7-Position Rotary Knob, Manual, Airhorn, Plus 3 Traffic Advisor Switches and Microphone with Extension Cable, **Single Howler Mounting Bracket (HSB#) Purchased Separately**, 12 VDC
C399S7	Core-S Single Unit 200-Watt Siren with Integrated 3-Section Control Head and 21 Push-Buttons, 4-Position Slide Switch, Microphone with Extension Cable
C399S7H	Core-S Single Unit 100-Watt Siren and 100-Watt Howler with Integrated 3-Section Control Head and 21 Push-Buttons, 4-Position Slide Switch, Microphone with Extension Cable, **Single Howler Mounting Bracket (HSB#) Purchased Separately**, 12VDC
C399S24	200-Watt Amplifier Control Module, Flashing Outputs, Includes 3 CANports and Controls Up to 99 Devices/Remote Modules, Control Head and Other Modules Purchased Separately, 24 VDC
CCP9	Core-C® Control Point and Switch Combination with 4-Position Slide Switch and 6 Push Buttons Plus One 5 amp Output for Auxiliary Lighting, LED TA Indicator, V2V Sync Capable, 10-30 VDC
CCPKT	Core Control Point for Use with WeCanX Devices when NOT Using CenCom Core® (For Use when not Purchasing a Lightbar)

WECANX CONTROL HEADS

CCTL5	Includes Handheld Combination Microphone and Controller, 5-Position Progressive Light/Siren Control, 9 Push-Buttons and a Microphone Extension Cable
CCTL6	Includes 3-Section Control Head and 8 Push-Buttons, 4-Position Slide Switch with a 7-Position Rotary Knob, Manual, Airhorn, Plus 3 Traffic Advisor Switches and Microphone with Extension Cable
CCTL7	Includes 3-Section Control Head and 21 Push-Buttons, 4-Position Slide Switch, Microphone with Extension Cable
CCTL8	Includes 6 Push-Buttons and a 4-Position Slide Switch, Includes Microphone
CCTL8LM	Includes 6 Push-Buttons and a 4-Position Slide Switch (Microphone Not Included)
CCTL9	Includes 2-Section Control Head and 6 Push-Buttons with a 7-Position Rotary Knob, Microphone and Microphone Extension Cable
CCTL9LM	Includes 2-Section Control Head and 6 Push-Buttons with a 7-Position Rotary Knob, (No Microphone or Microphone Extension Cable)
CCTL10	Includes 3-Section Control Head and 21 Push-Buttons, 1 Master Push-Button, Microphone with Extension Cable
CCTLHARN	CenCom Core Control Head Harness Kit, for Use with any Non-Primary Control Head Excluding the CCTL5, Control Heads Purchased Separately
CCTL11	Includes 3-Section Control Head and 13 Push-Buttons, Microphone with Extension Cable, Pre-Labeled Control Buttons (Non-Changeable)
CCTL11LM	Includes 3-Section Control Head and 13 Push-Button (Microphone Not Included) , Pre-Labeled Control Buttons (Non-Changeable)

SIREN AMPLIFIERS

CEXAMP	WeCanX External Amplifier
CHOWLER	Siren Amplifier with Two Speakers, Optional Vehicle Specific Mounting Brackets, No Charge When Purchased with Howler™ Siren
CHWLDC15	Siren Amplifier with One Speaker, Includes Mounting Bracket for 2015-2023 Dodge Charger
CHWLDD36	Siren Amplifier with One Speaker, Includes Mounting Bracket for 2021-2025 Dodge Durango
CHWLFE29	Siren Amplifier with One Speaker, Includes Mounting Bracket for 2020-2025 Ford Police Interceptor Utility
CHWLUNI	Siren Amplifier with One Speaker, Includes Universal Mounting Bracket

Core® Powered By WeCanX®
WHELEN ENGINEERING COMPANY, INC.

OBDII CANPORT™ INSTALLATION KITS FOR CORE®

C399K1	OBDII CANport™ Installation Kit for C399 for 2020-2022 Ford Interceptor Utility Used with Factory Option 61B, 2018-2022 Ford F-250/350, (Not for Use with Core-R® and C399S)
C399K2	OBDII CANport Installation Kit for C399 for 2019-2021 Chevy Colorado 1500 (Not for Use with Core-R and C399S)
C399K3	OBDII CANport Installation Kit for C399 for 2019-2024 Ram 1500, 2021-2023 Ram 2500/3500, 2018-2023 Dodge Charger and 2018-2025 Dodge Durango (Not for Use with Core-R and C399S)
C399K4	2020-2021 Ford Interceptor Utility Gateway Installation Kit for C399, for Use WITHOUT Ford 61B Factory Option (Not for Use with Core-R and C399S)
C399K5	2024 Ford E-Series, 2020-2021 Ford Expedition, 2020-2022 Ford F-250/F-350/F-450/F-550/F-600 Super Duty and 2020-2021 Ford Transit Gateway Installation Kit for C399 (Not for Use with Core-R and C399S)
C399K6	2021-2022 Chevy Tahoe and 2021-2022 Chevy Suburban Installation Kit for C399 (Not for Use with Core-R and C399S)
C399K7	2021-2023 Ford F-150 PPV, 2022-2024 Ford F-150 Lightning, 2020-2024 Ford Interceptor Utility, 2022-2023 Ford Escape, 2022-2024 Ford Expedition, 2021-2024 Ford Mustang Mach-E, 2024 Ford Maverick, and 2022-2024 Ford Ranger Installation Kit for C399 (Not for Use with Core-R and C399S)
C399K8	2021-2022 Tesla Model Y Installation Kit (Not for Use with Core-R and C399S)
C399K9	2022-2023 Chevy Silverado HD 2500-3500 (Not for Use with Core-R and C399S)
C399SP	SCANport™ Installation Kit for C399, See Vehicle Outfitter for Available Vehicle Make/Model/Year (Not for Use with Core-R and Core-S®)

OBDII CANPORT INSTALLATION KITS FOR CORE-R® AND CORE-S®

|	
C399RK1	OBDII CANport Installation Kit for C399R and C399S Only, for 2020-2022 Ford Interceptor Utility Used with Factory Option 61B, 2018-2022 Ford F-250/350
C399RK2	OBDII CANport Installation Kit for C399R Only, for 2019-2021 Chevy Silverado 1500 SSV (Body Style), 2019-2021 Chevy Colorado 1500
C399RK3	OBDII CANport Installation Kit for C399R and C399S Only, for 2019-2024 Ram 1500, 2021-2023 Ram 2500/3500, 2018-2023 Dodge Charger and 2018-2025 Dodge Durango
C399RK4	Installation Kit for C399R and C399S Only, for 2020 Ford Interceptor Utility Gateway, for Use WITHOUT Ford 61B Factory Option
C399RK5	Installation Kit for C399R and C399S Only, for 2024 Ford E-Series, 2020-2021 Ford Expedition, 2020-2022 Ford F-250/F-350/F-450/F550/F-600 Super Duty, 2020-2021 Ford Transit Gateway and 2024 Ford E-Series
C399RK6	Installation Kit for C399R and C399S Only, for 2021-2022 Chevy Tahoe and 2021-2022 Chevy Suburban
C399RK7	Installation Kit for C399R and C399S Only, for 2021-2023 Ford F-150 PPV, 2022-2024 Ford F-150 Lightning, 2020-2024 Ford Interceptor Utility, 2022-2023 Ford Escape, 2022-2024 Ford Expedition, 2024 Ford Maverick, 2021-2024 Ford Mustang Mach-E and 2022-2024 Ford Ranger
C399RK8	Installation Kit for C399R and C399S Only, for 2021-2022 Tesla Model Y
C399RK9	Installation Kit for C399R and C399S Only, for 2022-2023 Chevy Silverado HD 2500-3500
C399RSP	SCANport Installation Kit for C399R and C399S, See Vehicle Outfitter for Available Vehicle Make/Model/Year (Not for Use with Core C399)

Note: Core-S utilizes the Core-R OBDII Cable. Please make sure that you use the C399RK* when specifying Core-S. The C399K* will not work as it uses a different connector.

SYSTEM EXPANSIONS

CEM8	8 Output, 4 Input WeCanX® Expansion Module
CEM16	16 Output, 4 Input WeCanX Expansion Module
CEM16D	16 Output, 4 Input WeCanX Expansion Module, 10-30 VDC
CEM24	24 Output WeCanX Expansion Module, 10-30 VDC
CEM4HC	WeCanX High Current Remote Expansion Module, 4-15 Amp Output
CTA	WeCanX Traffic Advisor™ Remote Module, Traffic Advisor Purchased Separately

OPTIONS

CV2V	Vehicle-to-Vehicle Sync Module, Includes Internal Antenna
WCCBL100	WeCanX® Communication Cable, Bulk, 100' (30.48m)
WCXJB12	WeCanX Junction Box, 12 WeCanX Data Connection Points, Allows Up to 11 WCX Devices to Be Connected to Core Control System
CCS	Core Cabin Speaker, For Previewing Digital Voice Message "DVM" and Supports Responder-to-Responder R2R™ Alerting when used with Whelen Cloud Platform. For use with Core and Core S.

CORE® TECHNICAL SPECS

CENCOM
CORE.   CORE-S.   CORE-R.   CORE-C.

	CORE	CORE-S	CORE-R	CORE-C
DIMENSIONS	7.63" H x 10.07" W x 2.35" D	3.66" H x 6.93" W x 6.51" D	5.76" H x 5.46" W x 1.1" D (DOT: 3" H x 8.53" W x 13" D)	3.4" H x 4.4" W x 1.18" D
SOFTWARE	Whelen Command®			
HARDWARE SUPPORT	Up to 99 WeCanX® Devices			WeCanX Legacy®, Liberty™ II, and Freedom® IV Lightbars, Inner Edge® FST™, RST™, and XLP Remote 8, 16, or 24 Output Expansion Module High Current Remote Expansion Module V2V Sync Module
INPUTS	12 Logic Inputs 4 Analog Inputs 1 Ignition Power-Up Input 17 Total Inputs	6 Digital Inputs 4 Analog Inputs 1 Ignition Power-Up Input 11 Total Inputs	3 Digital 4 Analog 1 Ignition Power-Up Input 8 Total Inputs	1 Ignition Power-Up Input
OUTPUTS	2 15A Outputs 4 10A Outputs 16 2A Outputs 22 Total Outputs 1 Dry Contact Relay Flashing Outputs Every Output Across System Can Be Synchronized	2 15A Outputs 2 10A Outputs 12 2A Outputs 16 Total Outputs 1 Dry Contact Relay Flashing Outputs Every Output Across System Can Be Synchronized	1 Dry Contact Relay	1 5A Output
CONNECTIONS	1 VSG® Connection 1 WeCanX Connection CANport™ 1 USB-A Host 1 USB-C Supports Up to 99 Remote Modules	1 VSG Connection 1 WeCanX Connection CANport 1 USB-C Supports Up to 99 Remote Modules	1 VSG Connection 1 WeCanX Connection CANport 1 USB-C Supports Up to 99 Remote Modules	1 WeCanX Connection 1 USB-C Supports Up to 10 Remote Modules (Device Types May Vary)
SENSORS	Battery Voltage Sensor			
DVI™ PATTERNS AND TONES	Gradually Increase or Decrease the Output Intensity within a Flash Pattern or Tone			Gradually Increase or Decrease the Output Intensity within a Flash Pattern
TONE SYNC	Sync Amplifiers and Speakers Together, Sync Tones with Lights (Patented)	-	Sync Amplifiers and Speakers Together, Sync Tones with Lights (Patented)	-
WECANX CONTROL HEADS	CCTL5, CCTL6, CCTL7, CCTL8, CCTL9, CCTL10, CCTL11, CCTL8LM, CCTL9LM, CCTL11LM	Integrated Control Head Options (CCTL6, CCTL7) Remote Control Head Options (CCTL5, CCTL6, CCTL7, CCTL8, CCTL9, CCTL10, CCTL11)	CCTL5, CCTL6, CCTL7, CCTL8, CCTL9, CCTL10, CCTL11	-
DIAGNOSTICS	Has Diagnostic Indicator			
CERTIFICATIONS	Meets All Applicable SAE and California Title 13 Requirements with Various Whelen Speakers			-
WARRANTY	10-Year Warranty			

⚠️ **WARNING:** These products may contain chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit whelen.com/regulatory.

WeCanX® CONTROL HEADS

Ergonomically designed for situational awareness, WeCanX control heads are completely configurable. Models support flashing indicator LEDs and can also run system diagnostics. The new passthrough WeCanX connection on the back of the control heads contributes to less wiring and an easier install.

CCTL5
- Handheld 5-position
- 9 push-buttons
- Microphone extension cable

CCTL6
- 4-position slide switch
- 13 push-buttons
- 7-position rotary knob

CCTL7
- 4-position slide switch
- 21 push-buttons

CCTL8
- 4-position slide switch
- 6 push-buttons

CCTL9
- 6 push-buttons and 7-position rotary switch
- Microphone plug

CCTL10
- 22 push-buttons
- Microphone with extension cable

CCTL11
- 13 push-buttons
- Microphone with Extension Cable

Core® Powered By WeCanX®
WHELEN ENGINEERING COMPANY, INC.

WHELEN
MANUFACTURED IN AMERICA