

Serstech Arx mkII



Simplicity. Speed. Precision.

Experience simplicity, speed and efficiency with Serstech Arx mkII designed for and with field operators. With one-hand and single-button operation, the pocket-size Arx is your go-to solution for swift and precise chemical identification in any scenario.

With all the libraries you need at your fingertips, including biotoxins, you can trust Serstech Arx mkII to deliver accurate results with ease.

Using ChemDash Mobile on your mobile phone, Serstech Arx mkII communicates wirelessly and lets you send case reports on the fly in seconds.

Serstech's Arx mkII is the only handheld Raman device on the market that communicates on military networks via ATAK.

Serstech Arx mkII is engineered for simplicity and speed, allowing you to focus on the task at hand without any unnecessary hassle. Training is done in hours and user errors are minimized through self-evident interaction and user guidance. Night vision mode make Serstech Arx mkII compatible with many night-goggles.

With a five-year warranty, you can trust in the reliability and longevity of your investment.

Elevate your capabilities and experience the future of chemical identification today!

Small enough to fit in your pocket – big enough to redefine Raman

Serstech Arx mkII

Instrument Specifications

Instrument type	Handheld Raman spectrometer
Weight	590 g (1.3 lb)
Size	160 mm x 85 mm x 28 mm (6.2 x 3.3 x 1.1)
Laser excitation wavelength	785nm
Laser output power	Max 300mW, user adjustable
Barcode reader	Yes, QR and most common barcode formats
Max spectral range	400 cm ⁻¹ to 2 300 cm ⁻¹
Auto-focus	Yes, 0-4mm.
Spectral resolution	8-10 cm ⁻¹
Detector type	Linear CMOS
Display	3.5" Transflective TFT with LED backlight, Night-vision mode.
Internal memory	More than 100 000 measurements
Data export formats	txt, .csv, .jcamp
Connectivity	USB-C, Wi-Fi (2.4 GHz), Bluetooth 5.1
Battery	Rechargeable - more than 12 hours of typical use
Operating temperature	-20°C to +50°C (-4°F to 122°F)
Storage temperature	-30°C to +50°C (-22°F to 122°F)
Relative humidity	5-90%



Operation and Performance

Start-up time	Less than 20 sec. in room temperature
Scan time	Most substances less than 5 sec.
Exposure	Auto-exposure or manual exposure, 0.001 – 60 sec.
MTBF	50 000h
Approvals	CE, IEC 60529 IP67, MIL-STD-810G 514.6 (vibration), MIL-STD-810G 516.6 (functional shock), SWGDRUG category A compliant for presumptive testing, g, 21 CFR part 11 compliant (Instrument and ChemDash) ATAK

Accessories and Optional Components

Included accessories	Vial holder, watertight case, protective cap with calibration target, sample vials, USB-C cable, AC adapter 5 VDC/1 A USB for charging
Software included	ChemDash Lite. Optional software: ChemDash Pro and ChemDash mobile (iOS & Android)
Available libraries	Explosives, Narcotics, Chemical Warfare Agents, Hazardous materials, Pharmaceuticals, Biotoxins, User defined libraries. Total number of substances more than 17 000.

Functionality and Features

Type of substances	Solid, liquids, powders, and tablets
Mixture analysis	Yes
Delay function	Yes, 1 second to 15 minutes
Features	Auto-focus, QuickScan, User authorization, Event logging, Scan delay, User-defined libraries, User-added substances and Night-vision mode.
Supported languages:	Arabic, Chinese, English, French, German, Indonesian, Italian, Japanese, Korean, Polish, Romanian, Spanish, Swedish, Ukrainian, and Vietnamese. Additional languages on request.